AMENDMENT TO THE CLAIMS

Please replace all prior versions and listings of claims with the amended claims as follows:

1. (Previously presented) A compound of formula I:

or a pharmaceutically acceptable salt thereof, wherein:

Ht is pyrrol-3-yl having R³ and QR⁴ substituents;

A-B is N-O or O-N;

R¹ is hydrogen or -NHR;

T is a valence bond;

Q is -C(O) or $-SO_2-$;

each R is independently selected from hydrogen or an optionally substituted aliphatic group having one to six carbons;

R² is an aryl group substituted with up to three R⁸ substituents;

R³ is hydrogen;

R⁴ is -R⁶ or -NHR⁶;

each R⁶ is independently selected from -(CH₂)_yR⁷;

y is 0-6

each R⁷ is an optionally substituted group independently selected from aryl, heteroaryl, or heterocyclyl;

each R^8 is independently selected from halogen, -R', or -OR'; wherein each R' is independently selected from hydrogen or an optionally substituted C_{1-12} aliphatic.

2. (Previously presented) The compound according to claim 1 having the formula:

or a pharmaccutically acceptable salt thereof.

3. (Previously presented) The compound according to claim 2 having the formula:

$$\begin{array}{c}
H \\
N \\
Q - R^4 \\
R^3
\end{array}$$

$$\begin{array}{c}
R^3 \\
T - R^2
\end{array}$$

$$\begin{array}{c}
\Pi - A
\end{array}$$

or a pharmaceutically acceptable salt thereof.

- 4. (Previously presented) The compound according to claim 3, wherein said compound has one or more features selected from the group consisting of:
 - (a) Q is -CO-;
 - (b) R1 is hydrogen; and
 - (c) R⁷ is an optionally substituted heterocyclyl group.
 - 5. (Previously presented) The compound according to claim 4, wherein:
 - (a) Q is -CO-;
 - (b) R1 is hydrogen; and
 - (c) R⁷ is an optionally substituted heterocyclyl group.

6. (Previously presented) The compound according to claim 1 having the formula:

or a pharmaceutically acceptable salt thereof.

7. (Previously presented) The compound according to claim 6 having the formula:

$$\begin{array}{c}
H \\
N \\
R^{3}
\end{array}$$

$$\begin{array}{c}
T - R^{2} \\
\end{array}$$

III:-A

or a pharmaceutically acceptable salt thereof.

8. (Previously presented) The compound according to claim 7, wherein said compound has one or more features selected from the group consisting of:

- (a) Q is -CO-;
- (b) R¹ is hydrogen; and
- (c) R⁷ is an optionally substituted heterocyclyl group.

9. (Previously presented) The compound according to claim 8, wherein:

- (a) Q is -CO-;
- (b) R¹ is hydrogen; and
- (c) R⁷ is an optionally substituted heterocyclyl group.

10. (Previously presented) The compound according to claim 1 having the formula:

or a pharmaceutically acceptable salt thereof.

11. (Previously presented) The compound according to claim 10 having the formula:

IV-A

or a pharmaceutically acceptable salt thereof.

- 12. (Previously presented) The compound according to claim 11, wherein said compound has one or more features selected from the group consisting of:
 - (a) Q is -CO-; and
 - (b) R⁷ is an optionally substituted heterocyclyl group.
 - 13. (Previously presented) The compound according to claim 12, wherein:
 - (a) Q is -CO-; and
 - (b) R⁷ is an optionally substituted heterocyclyl group.
 - 14-17. (Canceled)
- 18. (Currently amended) The compound according to claim 1, wherein said compound is selected from the following compounds having formulae II-A or [[and]] IV-A:

Compounds of Formula II-A

No.	T-R ²	Q-R⁴	
IIA-2	2-chlorophenyl	CONHCH₂(Ph)	
ПА-3	2-chlorophenyl	CO(morpholin-4-yl)	
IIA-4	4-methoxyphenyl	CONHCH ₂ (pyridin-4-yl)	
IIA-5	3-fluorophenyl	CONHCH₂(pyridin-4-yl)	
IIA-6	3-methoxyphenyl	CONHCH₂(pyridin-4-yl)	
ПА-7	2,5-dimethoxyphenyl	CONHCH ₂ (pyridin-4-yl)	
IIA-8	3,4-difluorophenyl	CONHCH2(pyridin-4-yf)	
IIA-9	2,3-difluorophenyl	CONHCH₂(pyridin-4-yl)	
IIA-10	2,5-difluorophenyl	CONHCH₂(pyridin-4-yl)	
IIA-11	4-methoxyphenyl	CONHCH ₂ (pyridin-3-yl)	
IIA-12	3-fluorophenyl	CONHCH₂(pyridin-3-yl)	
IIA-13	3-methoxyphenyl	CONHCH₂(pyridin-3-yl)	
11A-14	2,5-dimethoxyphenyl	CONHCH2(pyridin-3-yl)	
IIA-15	3,4-difluorophenyl	CONHCH2(pyridin-3-yl)	
IIA-16	2,3-difluorophenyl	CONHCH₂(pyridin-3-yl)	
IIA-17	2,5-difluorophenyl	CONHCH2(pyridin-3-yl)	
IIA-18	4-methoxyphenyl	CONHCH₂(tetrahydrofuran-2-yl)	
IIA-19	3-fluorophenyl	CONHCH2(tetrahydrofuran-2-yl)	
IIA-20	3-methoxyphenyl	CONHCH2(tetrahydrofuran-2-yl)	
IIA-21	2,5-dimethoxyphenyl	CONHCH2(tetrahydrofuran-2-yl)	
IIA-22	3,4-difluorophenyl	CONHCH2(tetrahydrofuran-2-yl)	
IIA-23	2,3-difluorophenyl	CONHCH2(tetrahydrofuran-2-yl)	
ПА-24	2,5-difluorophenyl	CONHCH₂(tetrahydrofuran-2-yl)	
11A-25	4-fluorophenyl	CONHCH2(1-Et-pyrrolidin-2-yl)	
IIA-26	4-methoxyphenyl	CONHCH2(1-Et-pyrrolidin-2-yl)	
IIA-27	3-fluorophenyl	CONHCH2(1-Et-pyrrolidin-2-yl)	
IIA-28	3-methoxyphenyl	CONHCH2(1-Et-pyrrolidin-2-yl)	
IIA-29	2,5-dimethoxyphenyl	CONHCH ₂ (1-Et-pyrrolidin-2-yl)	

No. T-R ²		Q-R⁴	
IIA-30	3,4-difluorophenyl	CONHCH2(1-Et-pyrrolidin-2-yl)	
IIA-31	2,3-difluorophenyl	CONHCH2(1-Et-pyrrolidin-2-yl)	
IIA-32	2,5-difluorophenyl	CONHCH2(1-Et-pyrrolidin-2-yl)	
IIA-33	4-fluorophenyl	CO(morpholin-4-yl)	
IIA-34	4-methoxyphenyl	CO(morpholin-4-yl)	
IIA-35	3-fluorophenyl	CO(morpholin-4-yl)	
IIA-36	3-methoxyphenyl	CO(morpholin-4-yl)	
IIA-37	2,5-dimethoxyphenyl	CO(morpholin-4-yl)	
IIA-38	2,3-difluorophenyl	CO(morpholin-4-yl)	
IIA-39	2,5-difluorophenyl	CO(morpholin-4-yl)	
IIA-40	4-fluorophenyl	CO(4-Me-piperazin-1-yl)	
IIA-41	4-methoxyphenyl	CO(4-Me-piperazin-1-yl)	
IIA-42	3-fluorophenyl	CO(4-Me-piperazin-1-yl)	
IIA-43	3-methoxyphenyl	. CO(4-Me-piperazin-1-yl)	
IIA-44	2,5-dimethoxyphenyl	CO(4-Me-piperazin-1-yl)	
IIA-45	2,3-difluorophenyl	CO(4-Me-piperazin-1-yl)	
IIA-46	2,5-difluorophenyl	CO(4-Me-piperazin-1-yl)	
[IA-47	3-chlorophenyl	CONHCH2(pyridin-4-yl)	
IIA-48	3-chlorophenyl	CONHCH2(pyridin-3-yl)	
IIA-49	3-chlorophenyl	CONHCH2(tetrahydrofuran-2-yl)	
IIA-50	3-chlorophenyl	CONHCH₂(1-Et-pyrrolidin-2-yl)	
IIA-51	3-chlorophenyl	CO(4-Me-piperazin-1-yl)	
IIA-52	4-chlorophenyl	CONHCH ₂ (pyridin-4-yl)	
IIA-53	4-chlorophenyl	CONHCH2(pyridin-3-yl)	
IIA-54	4-chlorophenyl	CONHCH2(tetrahydrofuran-2-yl)	
11A-55	4-chlorophenyl	CONHCH ₂ (1-Et-pyrrolidin-2-yl)	
11A-56	4-chlorophenyl	CO(morpholin-4-yl)	
ПА-57	4-chlorophenyl	CO(4-Me-piperazin-1-yl)	
IIA-58	3,4-dichlorophenyl	CONHCH2(pyridin-3-yl)	
IIA-59	3,4-dichlorophenyl	CONHCH ₂ (1-Et-pyrrolidin-2-yl)	
IIA-60	3,4-dichlorophenyl	CO(morpholin-4-yl)	
IIA-61	3,4-dichlorophenyl	CO(4-Me-piperazin-1-yl)	
IIA-62	2-F-3-chlorophenyl	CONHCH ₂ (pyridin-4-yl)	
IIA-63	2-F-3-chlorophenyl	CONHCH₂(pyridin-3-yl)	

	T	Т	
No.	T-R ²	Q-R ⁴	
IIA-64	2-F-3-chlorophenyl	CONHCH₂(tetrahydrofuran-2-yl)	
IIA-65	2-F-3-chlorophenyl	CONHCH2(1-Et-pyrrolidin-2-yl)	
IIA-66	2-F-3-chlorophenyl	CO(morpholin-4-yl)	
11A-67	2-F-3-chlorophenyl	CO(4-Me-piperazin-1-yl)	
IIA-68	3-Cl-4-fluorophenyl	CONHCH ₂ (pyridin-4-yl)	
IIA-69	3-Cl-4-fluorophenyl	CONHCH₂(pyridin-3-yl)	
11A-70	3-Cl-4-fluorophenyl	CONHCH2(tetrahydrofuran-2-yl)	
IIA-71	3-Cl-4-fluorophenyl	CONHCH2(1-Et-pyrrolidin-2-yl)	
IIA-72	3-Cl-4-fluorophenyl	CO(morpholin-4-yl)	
IIA-73	3-Cl-4-fluorophenyl	CO(4-Me-piperazin-1-yl)	
IIA-74	3,4-dimethoxyphenyl	CONHCH2(pyridin-4-yl)	
IIA-75	3,4-dimethoxyphenyl	CONHCH2(pyridin-3-yl)	
IIA-76	3,4-dimethoxyphenyl	CONHCH2(tetrahydrofuran-2-yl)	
IIA-77	3,4-dimethoxyphenyl	CONHCH2(1-Et-pyrrolidin-2-yl)	
IIA-78	3,4-dimethoxyphenyl	CO(morpholin-4-yl)	
IIA-79	3,4-dimethoxyphenyl	CO(4-Me-piperazin-1-yl)	
IIA-80	4-benzo[1,3]dioxol-5-yl	CONHCH2(pyridin-4-yl)	
IIA-81	4-benzo[1,3]dioxol-5-yl	CONHCH₂(pyridin-3-yl)	
JIA-82	4-benzo[1,3]dioxol-5-yl	CONHCH2(tetrahydrofuran-2-yl)	
IIA-83	4-benzo[1,3]dioxol-5-yl	CONHCH2(1-Et-pyrrolidin-2-yl)	
IIA-84	4-benzo[1,3]dioxol-5-yl	CO(morpholin-4-yl)	
IIA-85	4-benzo[1,3]dioxol-5-yl	CO(4-Me-piperazin-1-yl)	
11A-86	3,5-dichlorophenyl	CONHCH₂(pyridin-4-yl)	
IIA-87	3,5-dichlorophenyl	CONHCH2(pyridin-3-yl)	
11A-88	3,5-dichlorophenyl	CONHCH₂(tetrahydrofuran-2-yl)	
IIA-89	3,5-dichlorophenyl	CONHCH2(1-Et-pyrrolidin-2-yl)	
IIA-90	3,5-dichlorophenyl	CO(morpholin-4-yl)	
IIA-91	3,5-dichlorophenyl	CO(4-Me-piperazin-1-yl)	
JIA-93	3-chlorophenyl	CO(morpholin-4-yl)	
IIA-106	phenyl	2 N N N N	

No.	T-R ²	Q-R ⁴	
IIA-107	phenyl	y L N N	
11A-108	3,4-dimethoxyphenyl		
IIA-109	3-chlorophenyl	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	
IIA-110	3-chlorophenyl	بالر	
IIA-111	3-methylphenyl	2 ^N N	
IIA-114	2-fluoro-3-chlorophenyl		
IIA-115	3-chlorophenyl	Ž ^{II} N NHCH3	
IIA-116	3,4-dimethoxyphenyl	بالم المراجعة	
11A-117	3,4-dimethoxyphenyl	² √N OH	
IIA-119	3-methylphenyl	ş,ll _N → OH	

No.	T-R ²	Q-R ⁴	
IIA-120	2-fluoro-3-chlorophenyl	Z N N N	
IIA-121	2-fluoro-3-chlorophenyl	Z N N N OME	
IIA-122	2-fluoro-3-chlorophenyl	2√ N N N N N N N N N N N N N N N N N N N	
IIA-123	3-chlorophenyl	3 ² N	
ПА-124	3,4-dimethoxyphenyl	2, N OH	
IIA-125	2-fluoro-3-chlorophenyl	2 ¹ 2 1	
IIA-126	2-fluoro-3-chlorophenyl	3 N N N	
IIA-130	phenyl	ş l N N N	
HA-131	phenyl	ZAN N	
IIA-132	phenyl	3 ¹ N ○	

No.	T-R ²	Q-R⁴	
IIA-133	phenyl	ż ^l n	
11A-134	phenyl	3, ¹ , N	
IIA-135	3,4-dimethoxyphenyl	₹Å _N	
IIA-136	3,4-dimethoxyphenyl	²,º, n, >	
11A-137	3,4-dimethoxyphenyl	ئارى ا	
IJA-138	3-methylphenyl	2 ¹ 20	
ПА-139	3-methylphenyl	ZÎ _N	
IIA-140	3-methylphenyl	2,- N N N N N N N N N N N N N N N N N N N	
IIA-141	2-fluoro-3-chlorophenyl	², ¹ , _N	
IIA-142	3-chlorophenyl	ZUN N	
IIA-143	3-chlorophenyl	3 ¹ × 1	

No.	T-R ²	Q-R ⁴	
IIA-144	3-chlorophenyl	z ^{il} n	
IIA-145	3-chlorophenyl	i ^l N C	
IIA-146	3-chlorophenyl	3 ¹ N N	
IIA-148	phenyl	o Z N N OM	
IIA-150	3,4-dimethoxyphenyl	2 L	
IIA-151	3-methylphenyl	3100	
IIA-152	3-methylphenyl	O N CH3	
HA-153	phenyi	₹ ¹ N COH	
11A-154	phenyl	Ş [⊥] N N CH₃	
IIA-155	phenyl	şÎ _N	

No.	T-R ²	Q-R ⁴	
11A-156	3,4-dimethoxyphenyl	ŞÛ, N → V OWB	
IIA-157	3,4-dimethoxyphenyl	Z N CH,	
IIA-159	3-methylphenyl	2 NOH	
IIA-160	3-chlorophenyl	2 NOH	
IIA-161	phenyl	ZHN OH	
IIA-162	3-chlorophenyl	Z ¹ N OH	
11A-163	3,4-dimethoxyphenyl	ž, CH,	
IIA-164	3-chlorophenyl	Ş N N CH₃	
IIA-165	phenyl	Z ^N N OH	
IIA-167	phenyl	ş N N CH₃	

No.	T-R ²	Q-R⁴	
11A-168	3,4-dimethoxyphenyl	şÅ _N → OH	
HA-169	3,4-dimethoxyphenyl	², L N N N N N N N N N N N N N N N N N N	
IIA-170	3,4-dimethoxyphenyl	2, N N F	
IIA-171	3-methylphenyl	², N OH	
11A-172	3-methylphenyl	Z N N N OME	
IIA-173	3-methylphenyl	ş ^N N~OH	
IIA-174	3-methylphenyl	3,1,7,7,7,7,7,7,7,7,7,7,7,7,7,7,7,7,7,7,	
11A-175	3-methylphenyl	3 ^N N	
IIA-176	3-methylphenyl	y N N CH3	
IIA-177	2-fluoro-3-chlorophenyl	2 ^N , сн ³	

No.	T-R ²	Q-R⁴	
IIA-179	2-fluoro_[[,]]3-chlorophenyl	ş N N CH₃	
IIA-180	2-fluoro_[[,]]3-chlorophenyl	i i n	
IIA-182	3-chlorophenyl	Z N → OH	
IIA-183	3-chlorophenyl	Ž [™] N N OMe	
IIA-184	3-chlorophenyl	2√2 NO H	
IIA-187	3-methylphenyl	2-1 N	
IIA-190	2-fluoro-3-chlorophenyl	Ş [⊥] N⊃N⊃	
HA-191	phenyl	2 ¹ NOH	
IIA-192	3,4-dimethoxyphenyl	. У N ОН	
IIA-193	3-methylphenyl	O NO DE	

No.	T-R ²	Q-R ⁴
IIA-194	phenyl [.]	

TY-A

Compounds of Formula IV-A

No.	R	T-R ²	Q-R ⁴
1VA-4	Н	phenyl	CO(pyrrolidin-1-yl)
IVA-5	Me	phenyl	CONHCH₂(Ph)
IVA-16	Me	3-Cl-phenyl	CONHCH2(pyridin-4-yl)
IVA-17	н	5-Cl-phenyl	ŞÅN → OH
IVA-18	Н	5-F-phenyl	CONHCH2(tetrahydrofuran-2-yl)
IVA-19	Me	5,6-F ₂ -phenyl	CO(4-Me-piperidin-1-yl)
IVA-20	Н	4-Cl-phenyl	CONHCH2(pyrid-4-yl)
IVA-21	н	4,5-(OMe) ₂ -phenyl	2 HN N
IVA-22	Me	4,5-Cl ₂ -phenyl	2/ N CH3

- 19. (Previously presented) A composition comprising a compound according to claim 1 and a pharmaceutically acceptable carrier.
- 20. (Original) The composition according to claim 19 wherein said compound is formulated in a pharmaceutically acceptable manner for administration to a patient.

- 21. (Previously presented) The composition according to claim 19 further comprising an additional therapeutic agent selected from a chemotherapeutic agent, an anti-inflammatory agent, an immunomodulatory or immunosuppressive agent, a neurotrophic factor, and agent for treating liver disease, an agent for treating a blood disorder, an agent for treating diabetes, or an agent for treating an immunodeficiency disorder.
- 22. (Previously presented) The composition according to claim 20 further comprising an additional therapeutic agent selected from a chemotherapeutic agent, an anti-inflammatory agent, an immunomodulatory or immunosuppressive agent, a neurotrophic factor, and agent for treating liver disease, an agent for treating a blood disorder, an agent for treating diabetes, or an agent for treating an immunodeficiency disorder.
- 23. (Previously presented) A method of inhibiting ERK or AKT activity in a biological sample selected from cell cultures or extracts thereof, biopsied material obtained from a mammal or extracts thereof, saliva, urine, feces, semen, tears, or extracts thereof, comprising the step of contacting said biological sample *in vitro* with a compound according to claim 1 or a composition according to claim 19.

24-26. (Canceled)

27. (Currently amended) A method for treating <u>cancer</u> a disease in a patient comprising the step of administering to said patient a composition according to claim 19, wherein said disease is selected from cancer, wherein said cancer is breast cancer, colon cancer, kidney carcinoma, lung cancer, melanoma, ovarian cancer, pancreatic cancer, or prostate cancer; a cardiovascular disease selected from stroke, restenosis, cardiomegaly, artheroselerosis; myocardial infarction, or congestive heart failure; asthma; or Alzheimer's Disease.

28-43. (Canceled)